

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	(retriev\$9 and select\$9) same (IP adj datagram) same service same header\$2 same server\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 10:09
S2	2	(retriev\$9 and select\$9) same (IP adj datagram) same service same header\$2 same server\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/12 13:30
S3	1	dispatch\$9 same (IP adj datagram) same service same header\$2 same server\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/12 13:26
S4	1	dispatch\$9 same (IP adj datagram) same (ToS or (type adj of adj service)) same header\$2 same server\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/12 14:42
S5	8	(retriev\$9 select\$9 or transact\$8 or send\$9 or complet\$9) same (IP adj datagram) same service same header\$2 same server\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/12 13:36
S6	24	(server same header same (list table index\$3) with (type class)) and ((prox\$3 socks) adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/12 14:53
S7	15	((server same header same (list table index\$3) with (type class)) and ((prox\$3 socks) adj server)) and IP and priorit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/12 14:48
S8	15	(retriev\$9 select\$9 transact\$8 send\$9 complet\$9) and (((server same header same (list table index\$3) with (type class)) and ((prox\$3 socks) adj server)) and IP and priorit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/12 13:36
S9	164	server same header same (list table index\$3) with (type class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/12 13:45

7/21

S10	3	(IP adj datagram) same (ToS or (type adj of adj service)) same header\$2 same server\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/12 14:01
S11	6	(IP adj packet) same (ToS or (type adj of adj service)) same header\$2 same server\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/12 14:02
S12	22	IP same (ToS or (type adj of adj service)) same priorit\$3 same header\$2 same server\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/12 14:03
S13	2	IP same (ToS or (type adj of adj service)) same priorit\$3 same header\$2 same server\$3 same (drop\$9 or discard\$5 or delet\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/12 14:03
S14	23	("5564070"   "5583859"   "5590122"   "5689505"   "5742592"   "5754774"   "5771353"   "5781549"   "5828843"   "5862345"   "5949799"   "6160793"   "6192029"   "6233577"   "6246684"   "6247048"   "6252884"   "6331983"   "6389465"   "6477577"   "6490617"   "6529882"   "6539019").PN.	USPAT	OR	ON	2004/06/12 14:25
S15	3	(dispos\$9 or transact\$9 or send\$9 or dispatch\$9) same (IP adj datagram) same (ToS or (type adj of adj service)) same header\$2 same server\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/12 14:45
S16	5	(dispos\$9 or transact\$9 or send\$9 or dispatch\$9) same IP same (ToS or (type adj of adj service)) same header\$2 same server\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/12 14:47
S17	48	(dispos\$9 or transact\$9 or send\$9 or dispatch\$9) same IP same (ToS or (type adj of adj service)) same header\$2 same serv\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/12 14:47
S18	38	((dispos\$9 or transact\$9 or send\$9 or dispatch\$9) same IP same (ToS or (type adj of adj service)) same header\$2 same serv\$8) and IP and priorit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/13 13:28

S19	33	((dispos\$9 or transact\$9 or send\$9 or dispatch\$9) same IP same (ToS or (type adj of adj service)) same header\$2 same serv\$8) and IP and priorit\$3) and (delet\$9 or discard\$8 or omit\$9 or throw\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/12 14:54
S20	19	(retriev\$9 or obtain\$9) same (value or parameter or attribute) same TOS same IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/13 13:55
S21	3	(select\$9 or choos\$9) same server\$3 same (table or metrix or configuration) same TOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/13 13:39
S22	6	(select\$9 or choos\$9) same server\$3 same (table or metrix or file\$2 or database) same TOS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/13 13:39
S23	8	(dispatch\$9 or send\$9 or transact\$9 or dispos\$9 or allocat\$9) same server\$2 and (retriev\$9 or obtain\$9) same (value or parameter or attribute) same TOS same IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/13 14:25
S24	7	((dispatch\$9 or send\$9 or transact\$9 or dispos\$9 or allocat\$9) same server\$2 and (retriev\$9 or obtain\$9) same (value or parameter or attribute) same TOS same IP) and priorit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/13 14:44
S25	5	("6006264"   "6108701"   "6345302"   "6449647"   "6496866").PN.	USPAT	OR	ON	2004/06/13 14:34
S26	2	((("6006264"   "6108701"   "6345302"   "6449647"   "6496866").PN.) and priorit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/13 15:43
S27	41	classif\$9 same (packet\$3 or content or data) same priorit\$3 same IP same header same (table or matrix or database or class or categor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/13 16:17
S28	2	((("6006264"   "6108701"   "6345302"   "6449647"   "6496866").PN.) and priorit\$4) and retriev\$3 and select\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 06:20

S29	8	(("6704768") or ("6658463") or ("6449647") or ("6385644") or ("6304552") or ("6185210") or ("6065058") or ("5924116")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2004/06/14 09:07
S36	3	IP near3 intranet near3 sock\$2 near3 server\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 11:36
S37	87	IP same intranet same sock\$2 same server\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 11:36
S38	2	S37 and TOS and value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 11:36
S39	10	("20020169980"   "6104716"   "6195366"   "6397253"   "6452915"   "6470027"   "6477577"   "6490626"   "6529937"   "6636509").PN. OR ("6823393").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/03 11:38
S40	0	(retriev\$9 and select\$9 or obtain\$5) same (IP near2 header near3 datagram) same service same server\$3 same intranet same firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 13:55
S41	0	(retriev\$9 and select\$9 or obtain\$5) same TOS same (IP near2 header near3 datagram) same service same server\$3 same intranet same firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 13:57
S42	2	(retriev\$9 and select\$9 or obtain\$5) same TOS same (IP near2 header near3 datagram)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 13:58
S43	9	sock same dispatch\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 14:03
S44	928	sock\$2 near2 server\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:23

S45	0	(dispatch\$5 or balanc\$5) near4 traffic near4 priorit\$3 near4 type\$2 near3 service\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:24
S46	0	(dispatch\$5 or balanc\$5) near4 load\$3 near4 priorit\$3 near4 type\$2 near3 service\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:25
S47	51	(dispatch\$5 or balanc\$5) near4 load\$3 same priorit\$3 same type\$2 same service\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:25
S48	3	S47 and sock\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:26
S49	48	S47 and server\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:26
S50	18	S47 and server\$2 and intranet and internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:28
S51	16	S50 and (http or ftp or telnet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:59
S52	14	S51 and (discard\$5 or delet\$5 or remov\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/04 08:59
S53	6	((("6449647") or ("6304552") or ("6259705"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 10:13
S54	6	S53 and (intranet or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 10:17

S55	1	S53 and intranet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 10:13
S56	8	(("6449647") or ("6304552") or ("6259705") or ("6779035")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 10:13
S57	3	S56 and intranet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 10:34
S58	8	S56 and (intranet or internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 10:17
S59	8	S58 and (IP diagram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 10:17
S60	2	S57 and service\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 10:36
S61	2	S60 and value\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 10:37
S62	6	S59 and service\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 10:36

S63	4	S62 and value\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 10:51
S64	1	S61 and priori\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 10:51
S65	3	S63 and priori\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:08
S66	1	S65 and retriev\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:08
S67	0	S64 and retriev\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:10
S68	2	S65 and select\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:10
S69	0	S64 and select\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 11:21
S70	2	S68 and (discard\$3 or delet\$5 or remov\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:41

S71	63582	(discard\$3 or delet\$5 or remov\$5) near (packet\$2 or data or (low or LO) or IP or priorit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:44
S72	19	(discard\$3 or delet\$5 or remov\$5) near (packet\$2 or data) near (low or LO) near (IP or priorit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:46